



SS-730VP-G集成系列 LED

50z




200Vaz

	180Vac		305Vac	
	47Hz	50/60Hz	63Hz	
			5.5A	200Vac
			830W	200Vac
(220Vac)			56A	
(277Vac)			70A	
			0.5W	220Vac/50Hz
				220Vac/50Hz
				200-277Vac 70%-100%
				220Vac/50Hz
				200-277Vac 70%-100%

SS-730VP-G集成系列 LED

	28V		56V	28-48V
	48V		56V	Po=Vo*Io=730W
	13.0A		15.2A	15.2A 48V,13.0A 56V
AOC	1.75A		15.2A	
			60V	
&220Vac	93.0%	95.0%		56V/13.0A
&277Vac	93.5%	95.5%		56V/13.0A
	-5%		+5%	
PK-AV		5%	10%	
			10%	
			0.5S	220Vac

SS-730VP-G集成系列 LED



--	--	--	--	--

SS-730VP-G集成系列 LED

--	--	--

Tcase	-40	
	-40	
	10	

--	--	--

UL/cUL	✓
ENEC	✓
UKCA	✓
CE	✓


SS-730VP-G集成系列 LED

Vs.


/AOC

SS-730VP-G集成系列 LED

Vs.



Vs.




——

- - - -

Vin 277V

SS-730VP-G集成系列 LED

Vs.



Vs.

Vs.

SS-730VP-G集成系列 LED



- 1
- 2
- 3 PC

LED

LED

SS-730VP-G集成系列 LED

	10V()	(其它)
	0V()	(BHB*)

“ 10V() ” / “ 0V ”

