





94.5%
0-10V PWM
PC
IP67
/ / /
Type HL
10kV/ 6kV
8




(SS-200VH-56B)

	100Vac		277Vac	120Vac
	90Vac		305Vac	
	47Hz	50/60Hz	63Hz	
			2.3A	100Vac
			230W	100Vac
(120Vac)			60A	
(220Vac)			110A	
(277Vac)			125A	
			5W	220Vac/50Hz
	0.97	0.98		220Vac/50Hz
	0.90			100-277Vac/50Hz 70-100%
		5%	10%	220Vac/50Hz
			20%	100-277Vac/50Hz 70-100%

(SS-200VH-56B)


--



0-10V		0.7V	0.8V	0.9V	75% W è
		0.8V	0.9V	1.0V	




Vs. (/AOC)




SS-2 0V

LED




Vs.



----- Vin=120Vac

- - - - -


Vs.



Vs.


(50)

Vs.



Vs.

- 1
- 2
- 3 PC



		mm(In.)
	L3	163(6.42)
	W1	66(2.6)
	H	37(1.46)
	L1	180(7.09)
	L2	171(6.73)
	W2	32(1.26)
Tc	X	60(2.36)
Tc	Y	33(1.3)



1

- mm × × =495 × 385 × 162;
- 16
- 0.81kg 14.42kg
-

GB 3873 83

RoHS

RoHS (2011/65/EU) 2015/863/EU



